

## Fresh Produce Vending Machine

TCN-64-BOXES



## **OVERVIEW**

Patent technology can achieve a single lattice door self-locking independently

Suitable for selling vegetables, fruits, b flowers, dairy products, etc

The new generation lock system, after making payment, the lock can be open automatically

Cool LED light, highlighting energy-saving display internal goods, attracts customers' attention. after the purchase, the commodity place will have blue LED lights flashing, reminding customers to take away the goods purchased

Can be connected to TCN cloud server, and check all the transaction data via computer or smart mobile phone

Body material: fully steel structure, solid and durable

The grid door is complete PC transparent material, the strength and display effect are better

Support 3G or GPRS wireless long-distance backstage administrate system

According to the actual needs of cascaded Guiji, it currently supports up to 16 machine cascades

Various specifications can be customised with the cabinet's refrigeration and heating function to support the sale of heating and refrigeration food

V	E	N	DI	N	G

Generate sales 24/7

Minimal labour cost or rent business

Customise the layout for your needs

Stock your preferred products

Retain 100% of the profit

National service and technical support

## **SPECIFICATIONS**

High-capacity vending machines

DEX port available

Front Glass Vending machine with cooling

Bill, Coin, Coin Dispenser (MDB Protocol)

Drop sensor system, guarantee delivery

DIMENSIONS			
Outside:	<b>H</b> : 1168mm, <b>W</b> : 460mm, <b>D</b> : 1940mm		
Working environment:	35°c, humidity, 75% (indoors)		
Sale of goods:	Vegetables, fruit, flowers, dairy & other fresh products		
Interface:	MDB		
Weight:	280kg		
Rated voltage:	220V, 50/60Hz, 38W/52W		
Power:	375W		

## **CONTACT INFORMATION**

■ info@centuryproductsinfo.com J 1300 946 282 (Australia) J +61 7 3105 5974 (Overseas)

Copyright © 2019 - 2022 | Mobile Kitchens, robo-WOK, Gyoza Grills, Vending Machines, Carts. All Rights Reserved.